

DOOR & WINDOW PARTS

Quality that crosses borders



UPVC DOOR & WINDOW MATERIAL SUPPLIER



info@parshamrah.com



+971585396650
+971564348483



www.parshamrah.co

Mission Statement

Our mission is to actively contribute to green building initiatives by manufacturing environmentally responsible profile systems that help reduce energy consumption and preserve natural resources for future generations.

Brand Vision

To lead in the innovation, design, and production of intelligent and sustainable profile systems for the next generation of the construction industry.





About Us:

Ak Tam Yasan Group is a specialized manufacturer of construction products with over 32 years of operational experience across the Middle East. Backed by advanced industrial infrastructure and deep technical expertise, the Group operates in the production and export of architectural coatings, uPVC profiles, doors and windows, and wooden doors always placing quality at the core of its business philosophy.

Ak Tam Yasan Brand Architecture

The Group's portfolio includes the following subsidiaries and brands:

Ak Profile & Ak Win: uPVC profiles

Agh Profile: Door and window systems

Ak Renk: Architectural coatings and paints





Ak Wood: Wooden doors






Brand Philosophy






The term "Ak", meaning white in Turkmen, symbolizes purity, trust, quality, and sustainability values that form the foundation of the Ak Tam Yasan identity and are embedded in every layer of the brand, from product design to customer relations.





Pars Hamrah

 DOOR & WINDOW PARTS





ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE/M	LENGTH/M
1	Door Sash S60 CH4 	AK_800_000	WHITE		6 m
		AK_800_121	NUSSBAUM		6 m
		AK_800_122	SHERWOOD		6 m
		AK_800_124	BLACK BROWN		6 m
2	Window Sash S60 CH4 	AK_802_000	WHITE		6 m
		AK_802_121	NUSSBAUM		6 m
		AK_802_122	SHERWOOD		6 m
		AK_802_124	BLACK BROWN		6 m
3	Mullion S60 CH5 	AK_853_000	WHITE		6 m
		AK_853_121	NUSSBAUM		6 m
		AK_853_122	SHERWOOD		6 m
		AK_853_114 (one side)	BLACK BROWN		6 m
		AK_853_124 (Both side)			6 m
4	Frame 60 – 4 chamber 	AK_851_000	WHITE		6 m
		AK_851_121	NUSSBAUM		6 m
		AK_851_122	SHERWOOD		6 m
		AK_851_124	BLACK BROWN		6 m

ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE/M	LENGTH/M
5	Door sash 	AK_804_000	WHITE		6 m
		AK_804_121	NUSSBAUM		6 m
		AK_804_122	SHERWOOD		6 m
		AK_804_124	BLACK BROWN		6 m
6	Window Sash – 5 Chamber 	AK_859_000	WHITE		6 m
		AK_859_121	NUSSBAUM		6 m
		AK_859_122	SHERWOOD		6 m
		AK_859_124	BLACK BROWN		6 m
7	Mullion 4 chamber 	AK_853_000	WHITE		6 m
		AK_853_121	NUSSBAUM		6 m
		AK_853_122	SHERWOOD		6 m
		AK_853_124	BLACK BROWN		6 m
8	Sliding Sash cover 	AK_903_000	WHITE		6 m
		AK_903_121	NUSSBAUM		6 m
		AK_903_122	SHERWOOD		6 m
		AK_903_124	BLACK BROWN		6 m
9	Overhang mullion – 4 chamber 	AK_805_000	WHITE		6 m
		AK_805_121	NUSSBAUM		6 m
		AK_805_122	SHERWOOD		6 m
		AK_805_124	BLACK BROWN		6 m

ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE/M	LENGTH/M
10	Sliding Frame – Single rail 	AK_904_000	WHITE		6 m
		AK_904_121	NUSSBAUM		6 m
		AK_904_122	SHERWOOD		6 m
		AK_904_124	BLACK BROWN		6 m
11	Sliding Sash 	AK_902_000	WHITE		6 m
		AK_902_121	NUSSBAUM		6 m
		AK_902_122	SHERWOOD		6 m
		AK_902_124	BLACK BROWN		6 m
12	Sliding Mullion 	AK_906_000	WHITE		6 m
		AK_906_121	NUSSBAUM		6 m
		AK_906_122	SHERWOOD		6 m
		AK_906_124	BLACK BROWN		6 m
13	Sliding Cover – Single rail 	AK_905_000	WHITE		6 m
		AK_905_121	NUSSBAUM		6 m
		AK_905_122	SHERWOOD		6 m
		AK_905_124	BLACK BROWN		6 m
14	Sliding frame – double rail 	AK_901_000	WHITE		6 m
		AK_901_121	NUSSBAUM		6 m
		AK_901_122	SHERWOOD		6 m
		AK_901_124	BLACK BROWN		6 m

ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE/M	LENGTH/M
20	Inter Lock 	AK_808_000	WHITE		6 m
		AK_808_121	NUSSBAUM		6 m
		AK_808_122	SHERWOOD		6 m
		AK_808_124	BLACK BROWN		6 m
21	Sliding Frame Cover 	AK_905_000	WHITE		6 m
		AK_905_121	NUSSBAUM		6 m
		AK_905_122	SHERWOOD		6 m
		AK_905_124	BLACK BROWN		6 m
22	Frame 	AK_801_000	WHITE		6 m
		AK_801_121	NUSSBAUM		6 m
		AK_801_122	SHERWOOD		6 m
		AK_801_124	BLACK BROWN		6 m
23	Mullion 	AK_803_000	WHITE		6 m
		AK_803_121	NUSSBAUM		6 m
		AK_803_122	SHERWOOD		6 m
		AK_803_124	BLACK BROWN		6 m
24					

Other Essentials

ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE	PIECES
1	Double rail Frame shoe 	AK_858_000	WHITE		1PCS
		AK_858_121	NUSSBAUM		1PCS
2	Single rail Frame shoe 	AK_705_000	WHITE		1PCS
		AK_705_121	NUSSBAUM		1PCS
3	Movable middle cap 	10214040	WHITE		1PCS
		10214041	NUSSBAUM		1PCS
4	Fixed intermediate connection 	10214035	NO COLOR		1PCS
5	Sliding rail (ALU) 	AK_10215001	NO COLOR		6 m

Other Essentials


ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE/M	PIECES
6	Zamak Tight Axis 13 	10214091	NO COLOR		1PCS
7	Glass rubber strip 	10214043	BLACK		10KG BOX
	Pile WeatherStrip 	10205015			

ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE/M	PIECES
1	Reinforcement – 7 mm hinge strap (1.00MM)	AK-82101	steel		6 m
2	Reinforced Frame,Sash,Mullion (24*27*24--1.25MM)	AK-82104	steel		6 m
3	Reinforced Door sash (61*28*61--1.00MM)	AK-82108	steel		6 m
4	Reinforced Door Sash Normal (51*28*51--1.00MM)	AK-82115	steel		6 m
5	WC Door Lock 35x90x10 – 16x240 / PVC / Metal Body	515124	steel		1PCS
6	Vertical Tilt Locking Plate 13 mm Axe	209103	Reze		1PCS
7	Tilt Locking Part With Covers --170	206104	Reze		1PCS
8	Stay Arm MK3 901 – 1150	204103	Reze		1PCS
9	SP 5 – Tilt & Turn Variable Gear 15 mm, T2, /1661 mm – 2160 mm/, (1900 mm)	201125	Reze		1PCS
10	SP 4 – Tilt & Turn Variable Gear 15 mm, T2, /1161 mm – 1660 mm/, (1400 mm)	201124	Reze		1PCS
11	SP 3 – Tilt & Turn Variable Gear 15 mm, T1, /900 mm – 1400 mm/, (1140 mm)	201123	Reze		1PCS
12	SP 2 – Tilt & Turn Variable Gear 15 mm, T1, /661 mm – 1160 mm/, (900 mm)	201122	Reze		1PCS
13	SP 1 – Tilt & Turn Variable Gear 15 mm, T0, /500 mm – 660 mm/, (400 mm)	201121	Reze		1PCS
14	Sash Hinge Adjustable – Bottom 3 mm	207201	Reze		1PCS
15	Sash Hinge – Top 12/20 – Aks 13 mm	207102	Reze		1PCS
16	Sash Adjustable Side Hung Hinge	204171	Reze		1PCS
17	Turn Hinge "ART" 90 mm / RAL 9016	300101	Reze White		1PCS
18	Turn Hinge "ART" 90 mm / RAL 9005	300110	Reze Black		1PCS
19	Plastic Cover Set 5 psc (RAL 9016)	220101	Reze White		1PCS
20	Plastic Cover Set 5 psc (RAL 9005)	220156	Reze Black		1PCS
21	Plastic Cover Set 2 psc (RAL 9016)	220107	Reze White		1PCS
22	Plastic Cover Set 2 psc (RAL 9005)	220343	Reze Black		1PCS
23	OK 4 – Middle Lock (with extra pin), T4, /1661 mm – 2160 mm/, (1635 mm)	205115	Reze		1PCS
24	OK 3 – Middle Lock (with extra pin), T3, /1161 mm – 1660 mm/, (1135 mm)	205114	Reze		1PCS
25	OK 2 – Middle Lock (with extra pin), T2, /900 mm – 1400 mm/, (735 mm)	205113	Reze		1PCS
26	OK 1 – Middle Lock (with extra pin), T2, /801 mm – 1160 mm/, (535 mm)	205112	Reze		1PCS
27	OK 1 – Middle Lock (with extra pin), T2, /00 mm – 800 mm/, (235 mm)	205106	Reze		1PCS
28	Multi-Point Door Lock 35 / 85 – 1800 mm (Latch)	400124	Reze		1PCS
29	Multi-Point Door Lock 35 / 85 – 1600 mm (Latch)	400122	Reze		1PCS
30	MK 2 – Stay Arm Set, T1, /651 mm – 900 mm/, (770 mm)	204102	Reze		1PCS
31	MK 1 – Stay Arm Set, T0, /411 mm – 650 mm/, (520 mm)	204101	Reze		1PCS

accessories & hardwares


ROW	PROFILE NAME	CODE	DESCRIPTION	PRICE/M	PIECES
32	MK 0 – Stay Arm Set, T0, /340 mm – 410 mm/, (280 mm)	204100	Reze		1PCS
33	locking plate – Bolt	213101	Reze		1PCS
34	Locking Plates Zamac Door AK11 – 13 mm Axis	211105	Reze		1PCS
35	Locking Plates Zamac Window AK13 – 13 mm Axis	211103	Reze		1PCS
36	Locking Bolt (Short)	202143	Reze		1PCS
37	Template Tilt&Turn & Turn Only Sash Hinge Jig / Left & Right – Bottom – 3 mm – Red	222103	Reze		1PCS
38	Template Tilt&Turn & Turn Only Frame Hinge Jig / Left & Right – Bottom – 3 mm – Red	222101	Reze		1PCS
39	Horizontal Tilt Locking Plate – 13 mm Axe	210103	Reze		1PCS
40	Frame Hinge – Top 3 mm	208101	Reze		1PCS
41	Frame Hinge – Bottom 3 mm	208201	Reze		1PCS
42	Flex Door Lock Striker Long (Steel) – 13 mm Axe	405104	Reze		1PCS
43	Double Sash locking plate Zamac	211901	Reze		1PCS
44	CSP4 Double Sash Gear 1660–1161	202104	Reze		1PCS
45	CSP2 Double Sash Gear 1160–661	202102	Reze		1PCS
46	Cylinder Door Locks 90	10209001	Reze		1PCS
47	Corner Transmission with Covers, T1, (170 mm*170mm)	203108	Reze		1PCS
48	Allen Key 4 mm	230101	Reze		1PCS
49	Adjustable Middle Hinge 13 mm Axe	221102	Reze		1PCS
50	Window Handle Winxline SEG Galaxy PK90.9016	PK90.9016	uWinx White		1PCS
51	Window Handle Winxline SEG Galaxy PKR98.9005	PKR98.9005	uWinx Black		1PCS
52	Door Handle WC Mars KP14613.R9016 34/90 mm – White	KP14613.R9016	KAYA–PEN		1PCS
53	Door Handle WC KKR1279.R9005 34/90 mm – Black	KKR1279.R9005	KAYA–PEN		1PCS
54	Door Handle Switch Galaxy KP12311.R9016 34/85 mm – White	KP12311.R9016	KAYA–PEN		1PCS
55	Door Handle Switch Galaxy KP12311.R9005 34/85 mm – Black	KP12311.R9005	KAYA–PEN		1PCS
56					
57					
58					
59					
60					
61					
62					

Sliding Profile Single Rail




Sliding Frame

Height	75 mm
width	104.5 mm
width kg/m	1.760 ± %5
Main Wall Thickness	2.4 mm ± 0.2
Chamber	4
Reinforcement	16 × 26 × 16



Sliding Sash


Height	60 mm
width	74 mm
width kg/m	1.320 ± %5
Main Wall Thickness	2.7 mm ± 0.2
Chamber	–
Reinforcement	24 × 30 × 24



Sliding Cover


Height	21 mm
width	51 mm
width kg/m	0.368 ± %5
Main Wall Thickness	1.6 mm ± 0.2
Chamber	–
Reinforcement	–

Sliding Profile Double Rail




Sliding Frame

Height	52 mm
width	80 mm
width kg/m	1.270 ± %5
Main Wall Thickness	2.7 mm ± 0.2
Chamber	-
Reinforcement	14 × 50 × 14



Sliding Sash


Height	60 mm
width	74 mm
width kg/m	1.320 ± %5
Main Wall Thickness	2.7 mm ± 0.2
Chamber	-
Reinforcement	24×30×24




Sliding Cover

Height	36 mm
width	63.5 mm
width kg/m	0.366 ± %5
Main Wall Thickness	2 mm ± 0.2
Chamber	-
Reinforcement	-


Profile 5 Chambers




Frame	
Height	65mm
width	60mm
width kg/m	1.120 ± %5
Main Wall Thickness	2.6 mm ± 0.2
Chamber	5
Reinforcement	25 × 25 × 25



GB	
Height	36 mm
width	40 mm
width kg/m	1.270 ± %5
Main Wall Thickness	1.8 mm ± 0.2
Chamber	–
Reinforcement	–




Window Sash	
Height	58 mm
width	60 mm
width kg/m	1.273 ± %5
Main Wall Thickness	2.6mm ± 0.2
Chamber	5
Reinforcement	25×25×25




Mullion	
Height	84 mm
width	60 mm
width kg/m	1.219 ± %5
Main Wall Thickness	2.6mm ± 0.2
Chamber	5
Reinforcement	25×25×25


Profile 5 Chambers



GB	
Height	20 mm
width	19 mm
width kg/m	0.1193 ± %5
Main Wall Thickness	1.8 mm ± 0.2
Chamber	–
Reinforcement	–




Panel	
Height	20 mm
width	100 mm
width kg/m	0.600 $\pm$ %5
Main Wall Thickness	1 mm $\pm$ 0.2
Chamber	3.4
Reinforcement	–




Renovation Frame	
Height	58 mm
width	60 mm
width kg/m	1.168 ± %5
Main Wall Thickness	2.6mm ± 0.2
Chamber	–
Reinforcement	25×25×25


Galvanized Reinforcement




GALVANIZED REINFORCEMENT AK-82104




GALVANIZED REINFORCEMENT AK-82101




GALVANIZED REINFORCEMENT AK-82106



GALVANIZED REINFORCEMENT AK-82105




GALVANIZED REINFORCEMENT AK-82108




GALVANIZED REINFORCEMENT AK-82107


Galvanized Reinforcement




GALVANIZED REINFORCEMENT AK-82115




GALVANIZED REINFORCEMENT AK-82112



GALVANIZED REINFORCEMENT AK-82204




GALVANIZED REINFORCEMENT AK-82202




GALVANIZED REINFORCEMENT AK-82206

Insect screen




INSECT SCREEN PROFILE

AL-02




INSECT SCREEN PROFILE

AL-01




INSECT SCREEN PROFILE

AL-03



INSECT SCREEN PROFILE

AL-1/02



INSECT SCREEN PROFILE

AL-04

Colored pvc lamination



Profile
Manufacturing:

500 Manufacturers / Workshop
20 Exclusive sales agent
25,000,000 Meters of profiles produced


Door & Window
Assembling:

500 Property Developers
4,000 Completed construction projects
400,000 Windows produced

AK Renk Paint
Manufacturing:

Production Capacity
15,000 Tons per Year

Producer of Industrial, Building, Traffic and Acrylic Paints



The Strength of a Professional Community “Our Customer Community is one of our greatest strengths a powerful network of loyal partners united by common goals and values.

Together, we share a vision for growth, innovation, and long-term success.”



Research & Development (R&D) Unit

Our R&D unit consistently stays one step ahead of the market. From optimizing formulations to developing specialized profiles, research is a continuous pathway toward building a better future.

Leveraging dynamism, forward-thinking, and data-driven analysis, this unit strives to create durable solutions that enhance quality, longevity, and adaptability of our products to real market needs.



Customer Relations

Our CRM unit is committed to continuous improvement and responsiveness by systematically monitoring customer feedback. From the point of purchase to years after delivery, we remain alongside our customers transparent, structured, and professional.










Diagram showing the structure of the exterior film RENOLIT EXOFOL PX



MX Nussbaum V



PX Winchester XC



PX Winchester XA



PX Anthracite Grey



MX Sherwood G



FX Pyrite



MX Black Brown



MX Black Cherry



MX Crown Platin



MX Eiche Dunkle



MX Golden Oak



MX Eiche Hell






MX Mahagony



FX Bronze Platin



FX Aluminum Brush







+989128891035

akprofile_co

www.aghprofile.com



Pars Hamrah Sabahi General Trading L.L.C

Office No. 301, 3rd Floor, Al Salemiyah Tower, Al Butten, Riggat, Deira, Dubai, UAE